



Part No	90NX0821-M02JX0
Sales Model Name	BM1503CDA-S72321X
EAN Code	4711636581226
UPC Code	199291581227
WEEE	1.42
BASE UNIT	VSNX0821-BU2111
Operating System	Windows 11 Pro
Office	N/A
LCD cover-material	Plastic
LCD cover-color	Gentle Grey
Top case-material	Plastic
Top case-color	Gentle Grey
Bottom case-material	Plastic
Bottom case-color	Gentle Grey
Military grade	US MIL-STD 810H military-grade standard
Panel Size	15.6-inch
Backlit	LED Backlit
Brightness	300nits
Resolution	FHD (1920 x 1080) 16:9
Glare	Anti-glare display
Color gamut	NTSC: 45%
View angle(H/V)	178/178
Response time(Typ/Max) (ms)	25/30
Refresh rate	60Hz
Contrast (Typ)	700:1
Touch Panel	Non-touch screen
Screen-to-body ratio	87 %
IPS-level	Wide view
Processor	AMD Ryzen™ 5 7535U Processor 2.9GHz (16MB Cache, up to 4.55 GHz, 6 cores, 12 Threads)
Chipset	N/A
Discrete/Share	Share
Integrated GPU	AMD Radeon™ 660M
VRAM	N/A
How to upgrade memory	Upgradable; Need to remove bottom/top case
Expansion Slot(includes used)	2x DDR5 SO-DIMM slots 1x M.2 2230 PCIe 4.0x4 1x M.2 2280 PCIe 4.0x4
DIMM Memory	16GB DDR5 SO-DIMM
Total System Memory	DDR5 16GB

Storage	512GB M.2 2280 NVMe™ PCIe® 4.0 SSD *ASUS continually improves product parts. It is recommended that you install the M.2 SSD module under professional supervision, which may void your warranty. Please contact sales for any related questions. SSD Housing for storage expansion
Front-facing camera	1080p FHD camera With privacy shutter
Wireless	Wi-Fi 6(802.11ax) (Dual band) 2*2 + Bluetooth® 5.4 Wireless Card
NumberPad	N/A
FingerPrint	FingerPrint
Keyboard type	Chiclet Keyboard with Num-key
Keyboard language	Latin America
I/O ports	2x USB 3.2 Gen 1 Type-A 2x USB 3.2 Gen 2 Type-C support display / power delivery 1x HDMI 1.4, up to 3840x2160p/30Hz 1x 3.5mm Combo Audio Jack 1x RJ45 Gigabit Ethernet
Audio	Audio by Dirac Built-in speaker Built-in array microphone
Battery	42WHrs, 3S1P, 3-cell Li-ion
AC Adapter	TYPE-C, 65W AC Adapter, Output: 20V DC, 3.25A, 65W, Input: 100~240V AC 50/60Hz universal (Adapter+power cord)
Required charging power	Min: 55W Max: 65W *The indicated wattage is for demonstrating the system's support capability as required by EU regulations. For optimal system performance, please use the standard-wattage adapter or higher.
Dimension (WxHxD)	35.95 x 23.22 x 1.99 ~ 1.99 cm (14.15" x 9.14" x 0.78" ~ 0.78")
Starting Weight (with Battery)	1.79 kg (3.95 lbs)
Starting Weight (w/o Battery)	1.61 kg (3.55 lbs)
Security	Kensington Nano Security Slot™(6x 2.5mm) Fingerprint sensor integrated with Touchpad BIOS Booting User Password Protection Enhanced Password Strength Support Absolute Persistence 2.0 (Computrace) BIOS Integrity Measurement Support CSME BIOS Redundancy Assistance HDD User Password Protection and Security Trusted Platform Module (TPM) 2.0 BIOS Self Recovery Microsoft Security Level 2 BIOS setup user password
Antivirus	McAfee® 30 days free trial
MyASUS feature	System diagnosis Battery health charging Fan Profile Splendid Function key lock WiFi SmartConnect AppDeals Link to MyASUS
Built-in Apps	AI ExpertMeet (watermark only) MyASUS
Reparability Index (for Belgium)	9.4
Reparability Index (for France)	9.5
Ecolabels & Compliances	EPEAT Gold with Climate+ Energy star 8.0 FSC Recycled REACH RoHS TCO Certified
Base Warranty	1Y Carry-In

Recommended Warranty Package Part number//Extension and/or upgrade service from base warranty	*If you would like to know the details, please contact your sales teams.
Battery warranty	Commercial NB B series Battery warranty follow system warranty, 4Y-5Y by WEP option.
Sustainable Material_Top cover(A part)	30% PCR recycled plastic(cover or inner frame)
Sustainable Material_Keyboard frame (C part)	30% PCR recycled plastic(cover or inner frame)
Sustainable Material_Bottom cover (D part)	30% PCR recycled plastic(cover or inner frame)
Sustainable Material_Battery	30% PCR recycled plastic
Sustainable Material_Total PCR recycled plastic	29%