



1	Part No	90NX0731-M01R00
ĺ	Sales Model Name	B3604CMA-Q91325X
ĺ	EAN Code	4711636080194
ĺ	UPC Code	199291080195
ĺ	WEEE	1.48
	BASE UNIT	VSNX0731-BUA154
	Operating System	Windows 11 Pro
	Office	1-month trial for new Microsoft 365 customers. Credit card required.
	LCD cover-material	Aluminum
	LCD cover-color	Star Black
	Top case-material	Plastic
	Top case-color	Star Black
	Bottom case-material	Plastic
	Bottom case-color	Black
	Military grade	US MIL-STD 810H military-grade standard
	Panel Size	16.0-inch
	Backlit	LED Backlit
	Brightness	300nits
	Resolution	WUXGA (1920 x 1200) 16:10
	Glare	Anti-glare display
	Color gamut	NTSC: 45%
	View angle(H/V)	
Į	Response time(Typ/Max) (ms)	11/9
	Refresh rate	60Hz
	Contrast (Typ)	1000:1
	Touch Panel	Non-touch screen
	Screen-to-body ratio	85 %
Į	IPS-level	Wide view
	Processor	Intel® Core™ Ultra 5 Processor 125H 1.2 GHz (18MB Cache, up to 4.5 GHz, 14 Cores, 18 Threads); Intel® AI
	Noural processor	Boost NPU Intel® AI Boost NPU
i	Chipset	
ŀ	Discrete/Share	
i		Intel® Graphics
i	VRAM	
į		Upgradable; Need to remove bottom/top case
i	Expansion Slot(includes used)	
	,	1x M.2 2230 PCle 4.0x4
		4 22 22 22 22 22 22 22 22 22 22 22 22 22

1x M.2 2280 PCle 4.0x4

DIMM Memory 16GB DDR5 SO-DIMM Total System Memory DDR5 16GB Storage 1TB M.2 2280 NVMe™ PCle® 4.0 SSD SSD Housing for storage expansion Front-facing camera 1080p FHD camera with IR function to support Windows Hello With privacy shutter Wireless Wi-Fi 6E(802.11ax) (Dual band) 2\*2 + Bluetooth® 5.4 Wireless Card NumberPad N/A FingerPrint FingerPrint Keyboard type Backlit Chiclet Keyboard I/O ports 2x USB 3.2 Gen 2 Type-A 2x Thunderbolt™ 4, compliant with USB4, supports display / power delivery 1x 3.5mm Combo Audio Jack 1v RIAS Gigshit Ethernet Audio Audio by Dirac Built-in speaker Built-in array microphone Battery 63WHrs, 3S1P, 3-cell Li-ion AC Adapter TYPE-C, 65W AC Adapter, Output: 20V DC, 3.25A, 65W, Input: 100~240V AC 50/60Hz universal Required charging power Min: 55W Max: 65W \*The indicated wattage is for demonstrating the system's support capability as required by EU regulations. For ontimal system performance, please use the standard-wattage adapter or higher. Dimension (WxHxD) 35.80 x 25.43 x 2.03 ~ 2.03 cm (14.09" x 10.01" x 0.80" ~ 0.80") Weight (with Battery) 1.93 kg (4.25 lbs) Weight (w/o Battery) 1.71 kg (3.77 lbs) Security Fingerprint sensor integrated with Power Key Kensington Nano Security Slot™(6x 2.5mm) **BIOS Booting User Password Protection** BIOS setup user password **HDD User Password Protection and Security** Support Absolute Persistence 2.0 (Computrace) Trusted Platform Module (TPM) 2.0 Antivirus N/A MyASUS feature System diagnosis **Battery health charging Fan Profile Splendid** Tru2Life **Function key lock** WiFi SmartConnect **AppDeals Built-in Apps MyASUS** Disclaimer for Built-in Apps Built-in Apps vary from OS SKU. \*MyASUS/McAfee don't support in Pure OS/without OS/G sku/Win SE/Windows on ARM/Linux OS (ex. Endless. Kylin. Ubuntu) Included in the Box Backpack Wireless optical mouse Reparability Index (for France) 9.5 **Ecolabels & Compliances EPEAT Gold Energy star 8.0 FSC Mix** REACH **RoHS** Base Warranty 1Y Carry-In Recommended Warranty Package Part \*If you would like to know the details, please contact your sales teams. number//Extension and/or upgrade service from base

Battery warranty	Commercial NB B series Battery warranty follow system warranty, 4Y-5Y by WEP option.
Sustainable Material_Top	50% PIR recycled aluminum
cover(A part)	
Sustainable Material_Keyboard	30% PCR recycled plastic(cover or inner frame)
frame (C part)	
Sustainable Material_Bottom	35% PCR recycled plastic(cover or inner frame)
cover (D part)	
Sustainable Material_Keyboard	50% PCR recycled plastic cap
Sustainable Material_Speaker	45% PCR + 5% OBP PCR recycled plastic enclosure
Sustainable Material_Total PCR	30.8%
recycled plastic	