



Aspire 3















In a continuing effort to impressive quality of our products, information in this accument is subject to change without nation are only representations of some of the contigurations available.

Narrow Bezel

Memory


Mogradable

As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2022. All rights reserved.

Nicrosoft and Windows are registered trademarks of Microsoft Corporation.

Visitables, Classes, Acelergy, beither brighters brighter brighters between people and technology. Please visit www.acer.com for more information.





20isplay S  15.6" FMD 1920 x 1080, high-brightness Acer Conflyview" LED-backlit TFT LCD  16.9" aspect ratio  10 Uitra-slim design  10 Hercury free, environment friendly  Graphics 1  Intel® Iris® X <sup>e</sup> Graphics Intel® Iris® X <sup>e</sup> Graphics Intel® Uris® x <sup>e</sup> Graphics Intel® Uris® digital microphones  Storage 1.7.8  SSD: S12 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Webcam²  Video conferencing UFC with  1 T-Type HD camera  2 Compatible with Windows only  Nireless and  wetworking 1  8 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  3 SO2.11a/b/g/r/ac wireless LAN  4 SO2.11a/b/g/r/ac wireless LAN  5 Support Bluetooth® 5.0 and later  1 Se2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one SSD  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one hard driv and one SSD  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one hard driv and one SSD  1 So3.5" (So3.0" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So2.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So3.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So3.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  3 So3.5" (So3.0" So3.5" CBS one one hard one wideo playback test results)  4 So3.5" (So3.0" CBS one one hard one wideo playback test results)  4 So3.5" (So3.0" CBS one one hard one wideo playback test results)  4 Up to 5.5 hours (based on wideo playback test results)		8	1
2. Webcam 3. 15.6° display 4. DC-in juck for power adapter 5. RJ -45 port (Function varies depending on configuration) 6. HDM*P port 7. USB 3.2 ports 15. Kensington lock slot 15. Kensington lock s	Product views	1. Microphones	9. Keyboard
1.5   1.5	rrounce views	•	-
4. DC-in, jack for power adapter 5. RL-45 pert (Function varies depending on configuration.) 13. Headset/speaker jack 6. HDMf port 7. USB 3.2 ports 15. Kensington lock slet 16. Boll slet 15. Kensington lock slet 15. Kensington lock slet 16. Boll slet		3. 15.6" display	
S. R.J - 45 port (Famction varies depending on configuration)  4. USB 3.2 ports  8. Touchpead  Perarting Windows 11 Home  ystem-1  PPU and chipset <sup>1</sup> Intel <sup>8</sup> Core <sup>111</sup> is-1.23 5U processor  Wemory 1-2-4  Dual -channel DDR4 SDRAM support:  16 GB of DDR4 system memory, upgradable to 32 GB using two soDIMM modules  Display   15.6° FHD 1920 x 1000, high-brightness Acer  Confly(rien)** IED-backlit TFT LCD  1.6° appet ratio Ultra-slim dissign  Mercury free, environment friendly  Graphics 1.6  A315-59  Intel <sup>8</sup> Inte		, ,	
### 14. USB 3.2 port 7. USB 3.2 ports 8. Touchpad  **Port Touchpad  **Port Touchpad  **Port Touchpad  **Port Midows 11 Home  **System***  **PU and chipset**    Intel® Core™ 15-1235U processor    Memory***   16 GB of DDR4 system memory, upgradable to 32 GB using two soD(MM modules)   15.6% PHD 19.20 x 1080, high-brightness Acer Comytiveum** LEP-beaklet TFT LCD   18-9 aspect ratio   Ultra-slim design		·	
7. USB 3.2 ports 8. Touckpad  Poperating Windows 11 Home  ystem  PPU and chipset* Intel® Core™ i5-1235U processor  Memory**2.3-4  Dual-channel DDR4 SDRAM support: 16 GB of DDR4 system memory, upgradable to 32 GB using two soDIMM modules  Display **  Display **  A315-59 Intel® Intel® Intel® X Graphics Intel® Intel® X Graphics Intel® UHD Graphics.  A315-59 Intel® Intel® HOR Graphics Intel® 1-15 X Graphics Intel®			•
### STOUCHPOOL OF THE PROPERTY OF THE PROPERY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY			•
Operating   Windows 11 Home   Special Specia		. :	v
Intel® Core™ i5-1235U processor	Operatina	·	
Memory 1.2.3.4  Dual-channel DDR4 SDRAM support:  16 GB of DDR4 system memory, upgradable to 32 GB using two soDIMM modules  15.6° FHD 1920 x 1080, high-brightness Acer Complyies 1.10 - backlit TFT LCD  1.16° appect ratio Ultra-slim design  1.10 - Mercury free, environment friendly  A315-59 Intel® Iris® X Graphics Intel® UHD Graphics  1. Two built-in stereo speakers  1. Two built-in digital microphones  Storage 1.7.8  SDI: S12 GB PCle Gan 3 R Gb/s up to 4 lanes, NVMe  Webcam¹  Video conferencing UFC with  1. Type HD camera  1. Compatible with Windows only  Nireless and  WIAN:  4. 802.11a/b/g/r/ac wireless LAN  1. Bual Band (2.4 GHz and 5 GHz)  1. Support Bluetooth® 5.0 and later  1. Intel® Wireless-AC 9360, 802.11a/b/g/r/ac wireless LAN  1. Support Bluetooth® 5.0 and later  1. Intel® Wireless-AC 9360, 802.11a/b/g/r/ac wireless LAN  1. Sec. 2 (M) x 24.12.6 (D) x 1.7.9 (H) mm (14.29 x 9.5 x 0.78  1. Rose 18.65 (4.11 libs) with 3-cell battery pack, one SSD  1. Rose 18.65 (4.11 libs) with 3-cell battery pack, one SSD  1. Rose 18.65 (4.11 libs) with 3-cell battery pack, one hard driv and battery  1. Power adapter / Battery  2. Power adapter / Battery  3pin 6.5 W M C adapter / 40 Wh 3-cell Li-ion battery  4. Up to 5.5 hours (based on wideo playback test results)  1. Up to 5.5 hours (based on wideo playback test results)  1. Up to 5.5 hours (based on wideo playback test results)			
Memory 3-2-3-4  Dual-channel DDR4 SDRAM support:  16 GB of DDR4 system memory, upgradable to 32 GB using two soDIMM modules  15.6" FHD 1920 x 1080, high-brightness Acer Comity/view" LED-backlit TFT LCD  14.91 aspect ratio  10 Ultra-slim design  10 Ultra-slim design  10 Mercury free, environment friendly  A315-59 Intel® Inis® X Graphics Intel® UI-D Graphics,  Audio  1 two built-in series opeakers  1 two built-in digital microphones  SSD:  SSD:  S12 GB PCle Gens 8 Gb/s up to 4 lanes, NVMe  Nebcam¹  Video conferencing  UFC with  1-Trype HD camera  Compatible with Windows only  Nireless and  etworking²  1 280 x 720 resolution  1 280 x 720 presolution  1 280 x 720 presolution  1 280 x 720 presolution  1 280 x 720 resolution  1 280 x 720 resoluti		1 1 10 0 TM '- 1 2 - 1 1	
20isplay S  15.6" FMD 1920 x 1080, high-brightness Acer Conflyview" LED-backlit TFT LCD  16.9" aspect ratio  10 Uitra-slim design  10 Hercury free, environment friendly  Graphics 1  Intel® Iris® X <sup>e</sup> Graphics Intel® Iris® X <sup>e</sup> Graphics Intel® Uris® x <sup>e</sup> Graphics Intel® Uris® digital microphones  Storage 1.7.8  SSD: S12 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Webcam²  Video conferencing UFC with  1 T-Type HD camera  2 Compatible with Windows only  Nireless and  wetworking 1  8 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  3 SO2.11a/b/g/r/ac wireless LAN  4 SO2.11a/b/g/r/ac wireless LAN  5 Support Bluetooth® 5.0 and later  1 Se2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one SSD  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one hard driv and one SSD  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one hard driv and one SSD  1 So3.5" (So3.0" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So2.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So3.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So3.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  3 So3.5" (So3.0" So3.5" CBS one one hard one wideo playback test results)  4 So3.5" (So3.0" CBS one one hard one wideo playback test results)  4 So3.5" (So3.0" CBS one one hard one wideo playback test results)  4 Up to 5.5 hours (based on wideo playback test results)	CPU and chipset <sup>+</sup>	Intel® Core 115-1235U processor	
20isplay S  15.6" FMD 1920 x 1080, high-brightness Acer Conflyview" LED-backlit TFT LCD  16.9" aspect ratio  10 Uitra-slim design  10 Hercury free, environment friendly  Graphics 1  Intel® Iris® X <sup>e</sup> Graphics Intel® Iris® X <sup>e</sup> Graphics Intel® Uris® x <sup>e</sup> Graphics Intel® Uris® digital microphones  Storage 1.7.8  SSD: S12 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Webcam²  Video conferencing UFC with  1 T-Type HD camera  2 Compatible with Windows only  Nireless and  wetworking 1  8 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  2 SO2.11a/b/g/r/ac wireless LAN  3 SO2.11a/b/g/r/ac wireless LAN  4 SO2.11a/b/g/r/ac wireless LAN  5 Support Bluetooth® 5.0 and later  1 Se2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one SSD  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one hard driv and one SSD  1 So2.9" (W) x 241.26" (D) x 17.9" (H) mm (14.2.9" x 9.5" x 0.78  1 So3.5" (So3.9" LBS) with 3 -cell battery pack, one hard driv and one SSD  1 So3.5" (So3.0" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So2.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So3.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  2 So3.5" (So3.0" So3.5" LBS) with 3 -cell battery pack, one hard driv and one SSD  3 So3.5" (So3.0" So3.5" CBS one one hard one wideo playback test results)  4 So3.5" (So3.0" CBS one one hard one wideo playback test results)  4 So3.5" (So3.0" CBS one one hard one wideo playback test results)  4 Up to 5.5 hours (based on wideo playback test results)	Memory <sup>1,2,3,4</sup>	Dual-channel DDR4 SDRAM support:	
ComfyView™ LED-backlit TFT LCD  • 16:9 aspect ratio • Ultra *slim design • Mercury free, environment friendly  Graphics**•  A315-59 Intel® Irix® X® Graphics Intel® Urix® SSD:  \$512 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Nebcam²  Video conferencing UFC with • T-Type HD camera • Compatible with Windows only  Niveless and WLAN: • Pual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Support Bluetooth® SD and later • Intel® Wireless-AC 9560, 802.11a/b/g/v/ac wireless LAN • Supports Bluetooth® SD • Support Bluetooth® SD •		16 GB of DDR4 system memory, upgradable to 32 GB using two	soDIMM modules
ComfyView™ LED-backlit TFT LCD  • 16:9 aspect ratio • Ultra *slim design • Mercury free, environment friendly  Graphics**•  A315-59 Intel® Irix® X® Graphics Intel® Urix® SSD:  \$512 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Nebcam²  Video conferencing UFC with • T-Type HD camera • Compatible with Windows only  Niveless and WLAN: • Pual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Support Bluetooth® SD and later • Intel® Wireless-AC 9560, 802.11a/b/g/v/ac wireless LAN • Supports Bluetooth® SD • Support Bluetooth® SD •	Display 5	15.6" FHD 1920 x 1080	), high-brightness Acer
**16:9 aspect ratio **Ultra-slim design **Mercury free, environment friendly  **A315-59** Intel® Uris® X Graphics Intel® Uris®			
### A315-59  Intel® UFD Graphics Audio  **Two built-in stereo speakers  **Two built-in in digital microphones  **Storage***7.8  **SED:  **ST2 GB PCIe Gen3 8 Gb/s up to 4 lanes, NVMe  **Webcam***  **Video conferencing  UFC with  **TType HD camera  **Compatible with Windows only  **Wireless and WLAN:  **Power dalpter*  **Supports Bluetooth** 5.0 and later  **Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  **Supports Bluetooth** 5.0 and later  **Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  **Supports Bluetooth**  **Oligabit Ethernet, Wake-on-LAN ready  **Upints Bluetooth**  **Supports Bluetooth**  **Oligabit Ethernet, Wake-on-LAN ready  **Upints Bluetooth**  **Supports Bluetooth**  **Supports Bluetooth*  **Supports Bluetooth*  **Supports Bluetooth*  **Oligabit Ethernet, Wake-on-LAN ready  **Upints Bluetooth*  **O		• 16:9 aspect ratio	
Intel® Iris® X Graphics Intel® Iris® X Graphics Intel® UHD Graphics,  Audio  • Two built-in stereo speakers • Two built-in digital microphones  Storage <sup>1,7,8</sup> SSD:  \$12 GB PCle Gen3 & Gb/s up to 4 lanes, NVMe  Nebcam¹  Video conferencing UFC with • T-Type HD camera • Compatible with Windows only  Nireless and  WLAN: • 802.11a/b/g/n/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Pimensions and  Pimensions:  Dimensions  Dimensions:  Dimensions:  362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port  • 365.59  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell bat		• Ultra-slim design	
Intel® Iris® X Graphics Intel® Iris® X Graphics Intel® UHD Graphics,  Audio  • Two built-in stereo speakers • Two built-in digital microphones  Storage <sup>1,7,8</sup> SSD:  \$12 GB PCle Gen3 & Gb/s up to 4 lanes, NVMe  Nebcam¹  Video conferencing UFC with • T-Type HD camera • Compatible with Windows only  Nireless and  WLAN: • 802.11a/b/g/n/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Pimensions and  Pimensions:  Dimensions  Dimensions:  Dimensions:  362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port  • 365.59  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack one hard driv and one SSD • 1.863 kg (4.11 lbs.) with 3-cell bat		• Mercury free, environm	nent friendly
Intel® Iris® X® Graphics Intel® UHD Graphics, Audio  • Two built-in stereo speakers • Two built-in stereo speakers • Two built-in digital microphones  Storage**.7.8  SSD:  \$12 GB PCle Gen3 & Gb/s up to 4 lanes, NVMe  Webcam¹  Wideo conferencing UFC with • T-Type HD camera • Compatible with Windows only  Wireless and  WLAN: • 802.11a/b/g/n/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2xz MU-MIMO technology • Support Bluetooth® 5.0 • 2xz MU-MIMO technology • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  weight **10**  Dimensions and  Dimensions  Weight: • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with Jan port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with Jan port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with Jan port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with 3-cell battery pack, one hard driv and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driv and one SSD  Power adapter and battery • Up to 5.5 hours (based on NobileMark® 2018 test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results)	Graphics <sup>1,6</sup>	A315-59	
Intel® UHD Graphics,  Audio  Two built-in stereo speakers Two built-in digital microphones  Storage <sup>1,7,8</sup> SSD:  \$12 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Nebcam¹  Video conferencing UFC with T-Type HD camera Compatible with Windows only  Nireless and NEAN:  \$80,2.11a/b/g/n/ac wireless LAN Dual Band (2.4 GHz and 5 GHz) 2x2 MU-MIMO technology Support Bluetooth® 5.0 and later Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Wireless and Neight 9,10  Dimensions and Weight  362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port  362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with 3-cell battery pack, one hard driv and one SSD  Power adapter  and battery Up to 5.5 hours (based on wideo playback test results) Up to 5.5 hours (based on wideo playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results) Up to 5.5 hours (based on video playback test results)		Intel® Iris® X <sup>e</sup> Graphics	
**************************************		•	
**Two built-in digital microphones  SSD:  \$SD:  \$12 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  **Nebcam¹**  Video conferencing  UFC with  • 1-Type HD camera • Compatible with Windows only  **Nireless and  **Note Wanter of the Windows only  **Nireless and  **Note Wanter of the Windows only  **Nireless and or Mobile Marker on the Windows only  **Nireless and or the Windows only  **Nireless and or the Windows only  **Nireless and or Mobile Marker on the Windows on Mobile Marker on the Mindows on Mobile Marker on the Mindows on Mobile Marker on the Mindows on Mindows on Mindows on Mind	Audio		
SSD:  \$12 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Webcam¹  Video conferencing UFC with  • T-Type HD camera • Compatible with Windows only  Wireless and  • 802.11a/b/g/r/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Supports Bluetooth® 5.0 • LAN: • Supports Bluetooth® 5.0 • LAN: • Intel® Wireless-AC 9560, 802.11a/b/g/r/ac wireless LAN  Poimensions and  Weight 9.10  Power adapter  • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port  • 3-50.9  • A315-59  Power adapter  A315-59  Power adapter  A315-59  Power adapter / Battery • Up to 5.5 hours (based on MobileMark® 2018 test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results)	Audio		
S12 GB PCle Gen3 8 Gb/s up to 4 lanes, NVMe  Nebcam¹  Video conferencing  UFC with  • T-Type HD camera • Compatible with Windows only  Nireless and  WLAN:  • 802.11a/b/g/n/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Supports Bluetooth® 5.0 • LAN: • Gigabit Ethernet, Wake-on-LAN ready  • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.78 inches) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.865 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.865 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and battery • 1.780 kg (3.92 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.865 kg (4.11 lbs.) with 3-cell battery pack one hard driving and battery • 1.780 kg (3.92 lbs.) with 3-cell battery pack one hard driving and one SSD • 1.865 kg (4.11 lbs.) with 3-cell battery pack one hard driving and battery • 1.780 kg (3.92 lbs.) with 3-cell battery pack one hard driving and battery • 1.780 kg (3.92 lbs.) with 3-cell battery pack one hard driving and battery • 1.780 kg (3.92 lbs.) with 3-cell battery pack one hard driving and battery • 1.780 kg (3.92 lbs.) with 3-cell battery pack one hard driving and battery • 1.780 kg (3.92 lbs.) with 3	Ct	· · · · · · · · · · · · · · · · · · ·	
Video conferencing UFC with  • T-Type HD camera • Compatible with Windows only  Nireless and WLAN: • 802.11a/b/g/n/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2xz MU-MIMO technology • Support Bluetooth® 5.0 • LAN: • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Pimensions and Weight  • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  • 375 A315-59  Power adapter  A315-59  Power adapter  A315-59  Power adapter  A315-59  Power adapter / Battery  • Up to 5.5 hours (based on MobileMark® 2018 test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results)	Storage		
UFC with  • T-Type HD camera • Compatible with Windows only  Wireless and  WLAN: • 802.11a/b/g/n/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Supports Bluetooth® 5.0 • LAN: • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Dimensions and  weight 9.10  Power adapter  A315-59  Power adapter  A315-59  Power adapter  A315-59  Power adapter  A315-59  Power adapter / Battery • Up to 5.5 hours (based on NobileMark® 2018 test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results)	Webcam <sup>1</sup>	·	• 1280 v 720 resolution
• T-Type HD camera • Compatible with Windows only  WIAN: • 802.11a/b/g/n/ac wireless LAN • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Supports Bluetooth® 5.0 • LAN: • Support Bluetooth® 5.0 LAN • Support Bluetooth® 5.0 ROL.11a/b/g/n/ac wireless LAN  Dimensions and weight 9.10  Point LAN port • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) without LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.77 inches) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drivent and one SSD  • 1.863 kg (4.11 lbs.) with 3		•	
**Compatible with Windows only  **Wireless and wLAN:  **BO2.11a/b/g/n/ac wireless LAN  **Dual Band (2.4 GHz and 5 GHz)  **Supports Bluetooth* 5.0  LAN:  **Gigabit Ethernet, Wake-on-LAN ready  **Dimensions and weight:  **Gigabit Ethernet, Wake-on-LAN ready  **Dimensions:  **Weight:  **362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port  **362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  **362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  **362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  **362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) with 3-cell battery pack, one SSD  **1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD  **20wer adapter  **Power adapter A315-59  **Power adapter / Battery  **3-pin 45 W AC adapter / 40 Wh 3-cell Li-ion battery  **Up to 5.5 hours (based on MobileMark® 2018 test results)  **Up to 5 hours (based on video playback test results)  **Up to 5.5 hours (based on video playback test results)			·
Wireless and WLAN:  • 802.11a/b/g/n/ac wireless LAN • 2x2 MU-MIMO technology • 2x2 MU-MIMO technology • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Dimensions and weight q.10  Power adapter • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg			• Blue Glass lens
**NetWorking**  **Note* Note of State of States**  **Note* Note of States**  **Note* Note of States**  **Note* Note of States**  **Note* Note of States**  **Note of S		· · · · · · · · · · · · · · · · · · ·	. Dual Band (0.4 CHz and c CHz)
• Dual Band (2.4 GHz and 5 GHz) • 2x2 MU-MIMO technology • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Dimensions and weight <sup>9,10</sup> • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 1.780 kg (3.92 lbs.) with 3-cell battery pack, one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.21 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1	Wireless and		
• 2x2 MU-MIMO technology • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Dimensions and weight 9.10  Power adapter and battery  1.1,12,13  • 2x2 MU-MIMO technology • Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  • Gigabit Ethernet, Wake-on-LAN ready • Cigabit Ethernet, Wake-on-LAN ready • Gigabit Ethernet, Wake-on-LAN ready • Gigabit Ethernet, Wake-on-LAN ready • Gigabit Ethernet, Wake-on-LAN ready • Cigabit Ethernet, Wake-on-LAN ready • Cigabit Ethernet, Wake-on-LAN ready • LAN: • Gigabit Ethernet, Wake-on-LAN ready	networking <sup>1</sup>		
• Support Bluetooth® 5.0 and later • Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Dimensions and  Pimensions: • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port • 1.780 kg (3.92 lbs.) with 3-cell battery pack, one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one battery and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard driving and one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one battery • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one battery • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one battery • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one battery • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one battery • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one battery • 1.863 kg (4.11 lbs.) with 3-cell battery • 1.863 kg (4.11			• •
• Intel® Wireless-AC 9560, 802.11a/b/g/n/ac wireless LAN  Dimensions and veight 9.10  • 362.9 (W) x 241.26 (D) x 19.9 (H) mm (14.29 x 9.5 x 0.78 inches) with LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  • 1.780 kg (3.92 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 2.862.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one bard drive and one SSD  • 2.862.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one bard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one bard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one			
Dimensions and Pimensions:  ***Bold of the process		• •	• Algabit Ethernet, Wake-on-LAN ready
**************************************	_, ,	<del>-</del>	
inches) with LAN port  • 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  • 1.780 kg (3.92 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD			-
• 362.9 (W) x 241.26 (D) x 17.9 (H) mm (14.29 x 9.5 x 0.7 inches) without LAN port  • 1.863 kg (4.11 lbs.) with 3-cell battery pack, one hard drive and one SSD  • A315-59  Power adapter and battery 3-pin 45 W AC adapter / 40 Wh 3-cell Li-ion battery • Up to 5.5 hours (based on MobileMark® 2018 test results) • Up to 6.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results)	weight <sup>9,10</sup>		
inches) without LAN port  and one SSD  •  Power adapter  A315-59  Power adapter/ and battery  3-pin 45 W AC adapter / 40 Wh 3-cell Li-ion battery  • Up to 5.5 hours (based on MobileMark® 2018 test results)  • Up to 6.5 hours (based on video playback test results)  • Up to 5.5 hours (based on video playback test results)		•	
Power adapter  A315-59  Power adapter / Power adapter / Battery  3-pin 45 W AC adapter / 40 Wh 3-cell Li-ion battery  • Up to 5.5 hours (based on MobileMark® 2018 test results)  • Up to 6.5 hours (based on video playback test results)  • Up to 5.5 hours (based on video playback test results)			
Power adapter / Battery 3-pin 45 W AC adapter / 40 Wh 3-cell Li-ion battery • Up to 5.5 hours (based on MobileMark® 2018 test results) • Up to 6.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results)		inches) without LAN port	and one SSD
Power adapter / Battery 3-pin 45 W AC adapter / 40 Wh 3-cell Li-ion battery • Up to 5.5 hours (based on MobileMark® 2018 test results) • Up to 6.5 hours (based on video playback test results) • Up to 5.5 hours (based on video playback test results)	Power adapter	A315-59	A315-59G
3-pin 45 W AC adapter / 40 Wh 3-cell Li-ion battery  • Up to 5.5 hours (based on MobileMark® 2018 test results)  • Up to 6.5 hours (based on video playback test results)  • Up to 5.5 hours (based on video playback test results)			
<ul> <li>Up to 5.5 hours (based on MobileMark® 2018 test results)</li> <li>Up to 5.5 hours (based on MobileMark® 2018 test results)</li> <li>Up to 5.5 hours (based on video playback test results)</li> </ul>	11,12,13		•
• Up to 6.5 hours (based on video playback test results)  • Up to 5.5 hours (based on video playback test results)			
		•	,
		<ul> <li>Up to 5.5 hours (based on web browsing test results)</li> </ul>	<ul> <li>Up to 5.5 hours (based on web browsing test results)</li> </ul>

In a continuing effort to improve the guality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary appearance of the configurations available for this model. Availability may vary appearance of the configurations available for this model.

accommy on region.
As a phenomenon known to thin-film Amrid AQFIFA 1.02pickey: Acquarkey board may be utilize in termational language support mincluding jipdicators not Caps Lock and 614FMicrophone, not a product defect, and as such is not copyred by Acer's warranty. © 2022. All rights reserved.

Middle Stand of Toward Configuration Manager

Middle Stand of Toward Configuration Manager

White Research C